


www.creatine-report.com

FREE

Creatine's Usage in Sports, Health and Anti Aging



The Creatine Report



Report

by Will Brink

The Creatine Report
Copyright Internet Publications.
www.Internet-Publications.net

Under no circumstances do we permit any affiliate or other person (s) to remove or edit text or images within this document apart from re-branding the links to our products with your affiliate links.

Anybody found using our intellectual property to promote additional or differing content to Muscle Building Nutrition or Diet Supplements Revealed will be prosecuted. We are constantly checking the internet for anybody attempting to do this.

The passing around freely of this e-book in it's original or re-branded state is perfectly acceptable.

The information found in this ebook is purely for information purposes only. Neither the author, publisher or any employees of Internet Publications accept any responsibility for the information contained herein nor any responsibility for any action taken or created as a result of reading the information contained herein.

Contents

Introduction

Part I

What is creatine?

How does creatine work?

Part II

Creatine and Sarcopenia

Effects of creatine on older adults

The secret of aging: cellular energetics

Anti-inflammatory effects of creatine

Creatine effects on the function of healthy and damaged brains.

Creatine and the healthy brain

Creatine and neuromuscular diseases

More brain related research: Creatine and neurological protection

Creatine and heart function

References for Section II

Part III

Effects on Growth Hormone (GH)

Creatine may reduce homocysteine levels

Creatine and chronic fatigue/fibromyalgia

Creatine safety issues: fact or fiction?

References for Section III

Contents

Part IV

Recommended doses

To load or not to load

Creatine and athletics

The creatine and sugar story

Pre made creatine/sugar mixtures


Purity issues

So who sells Creapure brand creatine?

Conclusion

FINALLY : TWO MORE OF WILL BRINK'S EBOOKS

Reviews found at the end of this Free Creatine Report



Two Chapters on Nutrition & Diet, plus over 30 independent supplement reviews, plus a full chapter by Charles Poliquin on training for Muscle Mass & access to the MBN Members area for 24/7 personal training.



Fat Loss Supplements Reviewed, plus Will's personal fat loss diet and fat loss workouts. Plus access to the DSR members area, with diet planners, meal plans over 200 brand name supplement reviews.

Introduction

Although creatine offers an array of benefits, most people think of it simply as a supplement that bodybuilders and other athletes use to gain strength and muscle mass. Nothing could be further from the truth.

People who don't follow the research on creatine are often stunned to find out how much research has been done, and how many health, fitness, and longevity uses creatine may have.

Why the mainstream media has ignored this fact – in favor of outlandish poorly substantiated scare stories – is unclear, but there has always been a double standard in the mainstream media when it comes to nutritional supplements.

This report will cover much of what creatine has to offer as a safe and inexpensive supplement with an exceptionally wide range of potential uses. Though I will go into depth about each, creatine may positively effect:

- sarcopenia (a loss of muscle mass due to aging)
- improve in brain function of healthy and damaged brains
- modulate inflammation.
- diseases effecting the neuro muscular system, such as muscular dystrophy (MD)
- wasting syndromes/muscle atrophy
- fatigue
- gyrate atrophy
- Parkinson's disease
- Huntington's disease and other mitochondrial cytopathies
- neuropathic disorders
- various dystrophies
- myopathies

Introduction

- various brain pathologies.
- may increasing growth hormone (GH) levels, to those seen with exercise
- reduce homocysteine levels
- possibly improving the symptoms of Chronic fatigue Syndrome
- improve cardiac function in those with congestive heart failure

Creatine is proving to be one of the most promising, well researched, and safe supplements ever discovered for an exceptionally wide range of uses.

Part I

What is Creatine?

Creatine is formed in the human body from the amino acids methionine, glycine and arginine. The average person's body contains approximately 120 grams of creatine stored as creatine phosphate. Certain foods such as beef, herring and salmon, are fairly high in creatine. However, a person would have to eat pounds of these foods daily to equal what can be obtained in one teaspoon of powdered creatine.

Creatine is directly related to adenosine triphosphate (ATP). ATP is formed in the powerhouses of the cell, the mitochondria. ATP is often referred to as the "universal energy molecule" used by every cell in our bodies. An increase in oxidative stress coupled with a cell's inability to produce essential energy molecules such as ATP, is a hallmark of the aging cell and is found in many disease states. Key factors in maintaining health are the ability to: (a) prevent mitochondrial damage to DNA caused by reactive oxygen species (ROS) and (b) prevent the decline in ATP synthesis, which reduces whole body ATP levels. It would appear that maintaining antioxidant status (in particular intra-cellular glutathione) and ATP levels are essential in fighting the aging process.

It is interesting to note that many of the most promising anti-aging nutrients such as CoQ10, NAD, acetyl-L-carnitine and lipoic acid are all taken to maintain the ability of the mitochondria to produce high energy compounds such as ATP and reduce oxidative stress. The ability of a cell to do work is directly related to its ATP status and the health of the mitochondria. Heart tissue, neurons in the brain and other highly active tissues are very sensitive to this system. Even small changes in ATP can have profound effects on the tissues' ability to function properly. Of all the nutritional supplements available to us currently, creatine appears to be the most effective for maintaining or raising ATP levels.

Part I

How does Creatine work?

In a nutshell, creatine works to help generate energy. When ATP loses a phosphate molecule and becomes adenosine diphosphate (ADP), it must be converted back to ATP to produce energy. Creatine is stored in the human body as creatine phosphate (CP) also called phosphocreatine. When ATP is depleted, it can be recharged by CP. That is, CP donates a phosphate molecule to the ADP, making it ATP again.

An increased pool of CP means faster and greater recharging of ATP, which means more work can be performed. This is why creatine has been so successful for athletes. For short-duration explosive sports, such as sprinting, weight lifting and other anaerobic endeavors, ATP is the energy system used.

To date, research has shown that ingesting creatine can increase the total body pool of CP which leads to greater generation of energy for anaerobic forms of exercise, such as weight training and sprinting. Other effects of creatine may be increases in protein synthesis and increased cell hydration.

Creatine has had spotty results in affecting performance in endurance sports such as swimming, rowing and long distance running, with some studies showing no positive effects on performance in endurance athletes.

Whether or not the failure of creatine to improve performance in endurance athletes was due to the nature of the sport or the design of the studies is still being debated.

Creatine can be found in the form of creatine monohydrate, creatine citrate, creatine phosphate, creatine-magnesium chelate and even liquid versions.

Part I

However, the vast majority of research to date showing creatine to have positive effects on pathologies, muscle mass and performance used the monohydrate form. Creatine monohydrate is over 90% absorbable, contrary to what some companies and “gurus” have claimed.

What follows is a review of some of the more interesting and promising research studies with creatine.

Part II

“So what can creatine potentially do for me?”

The scourge of aging: sarcopenia and the potential role of creatine.

Creatine has been shown to increase strength and muscle mass in young adults in literally dozens of studies at this point. However, there was scant data examining its effects on older adults until more recently.

One of the greatest threats to an aging adult’s ability to stay healthy and functional is the steady loss of lean body mass (muscle and bone in particular) as they age. The medical term for the loss of muscle is sarcopenia, and it’s starting to get the recognition it deserves by the medical and scientific community.

For decades, that community has focused on the loss of bone mass (osteoporosis) of aging adults but paid little attention to the loss of muscle mass which effects a person’s ability to be functional as they age just as much – if not more so – than a loss of bone mass. What defines sarcopenia from a clinical perspective? Sarcopenia can be defined as the age-related loss of muscle mass, strength and functionality. One thing is very clear: it’s far easier, cheaper, and more effective to prevent sarcopenia, or at least greatly slow its progression, then it is to treat it later in life. Sarcopenia generally appears after age of 40 and accelerates after the age of approximately 75.

Although sarcopenia is mostly seen in physically inactive individuals, it is also commonly found in individuals who remain physically active throughout their lives. Thus, it’s clear that although physical activity is essential, physical inactivity is not the only contributing factor to sarcopenia. Just as with osteoporosis, sarcopenia is a multifactorial process that may include decreased hormone levels (in particular, GH, IGF-1, and testosterone), a lack of adequate protein and calories in the diet, oxidative stress, inflammatory processes, as well as a loss of motor nerve cells.

Part II

Effects of creatine on older adults:

With aging and inactivity, most atrophy an aging person's muscle mass is seen in the fast twitch (FT) fibers which are recruited during high-intensity, anaerobic movements (e.g., weight lifting, sprinting, etc.). Interestingly, these are exactly the fibers creatine has the most profound effects on. One study called "Creatine supplementation enhances isometric strength and body composition improvements following strength exercise training in older adults" (J Gerontol A Biol Sci Med Sci. 2003 Jan;58(1):11-9.) fed twenty-eight healthy men and women (above 65 years old) either 5 grams per day of creatine or placebo using a random, double-blind protocol for 14 weeks.

Both groups were put on a resistance training (weight training) regimen for the duration of the study. Fourteen weeks of resistance exercise training resulted in significant increases in all measurements of strength and functional tasks and muscle fiber area for both groups. However, the group getting the creatine resulted in significantly greater increases in fat-free mass, greater increase in isometric knee extension, greater gains in isometric dorsiflexion strength, as well as a significant increase in intramuscular creatine levels. The researchers concluded:

"The addition of creatine supplementation to the exercise stimulus enhanced the increase in total and fat-free mass, and gains in several indices of isometric muscle strength."

A whole slew of recent studies have been finding similar effects on older adults and coming to virtually identical conclusions. Another recent study entitled "Creatine supplementation improves muscular performance in older men" (Med Sci Sports Exerc. 2002 Mar;34(3):537-43.) using a similar protocol as the aforementioned study found essentially the same effects.

Part II

They concluded,

"data indicates that 7 days of creatine supplementation is effective at increasing several indices of muscle performance, including functional tests in older men without adverse side effects. Creatine supplementation may be a useful therapeutic strategy for older adults to attenuate loss in muscle strength and performance of functional living tasks."

Yet more studies (Creatine supplementation combined with resistance training in older men. *Med Sci Sports Exerc.* 2001 Dec;33(12):2111-7.) has come to similar conclusions. However, it should be noted that not all studies have found this effect (Effects of creatine monohydrate ingestion in sedentary and weight-trained older adults. *Acta Physiol Scand.* 1998 Oct;164(2):147-55.) but they were earlier studies that may have had some methodological flaws. Regardless, the bulk of the data, in particular the recent data, clearly points to creatine as having positive effects on strength and body composition in older adults, especially when combined with a resistance training exercise protocol.

One particularly interesting recent study found the positive effects of creatine on strength and lean tissue in older adults continued after they stopped using the creatine (Effect of Ceasing Creatine Supplementation While Maintaining Resistance Training in Older Men. *JAPA*, 12(3), July 2004,), at least for the 12 weeks they tested them. They concluded,

"Withdrawal from Creatine had no effect on the rate of strength, endurance, and loss of lean tissue mass with 12 weeks of reduced-volume training."

However, it's the experience of most creatine users, as well as most studies in

Part II

younger adults, that the positive effects of creatine do in fact fade over time if one stops using creatine. Thus, being there is no particular reason to go off creatine once started, best effects will probably come from continued use.

The real secret to aging: cellular energetics

What's really the major difference between an older adult and a younger adult? Cellular energetics is the answer: the ability of each cell in our body to regulate its ability to produce energy (e.g., ATP), detoxify harmful compounds, and defend itself against free radical damage and other assaults.

An increase in oxidative stress coupled with a cell's inability to produce essential energy molecules such as ATP, is a hallmark of the aging cell and is found in many disease states. A younger person's cells are quite efficient at dealing with those problems faced by the cell, an older person's cells, be it brain cells, muscle cells, etc. are unable to deal with these challenges, and over time damage accumulates, and the cell dies. In younger healthy adults, old cells are replaced by new healthy cells rapidly, but that's not the case the older we get.

The decline in muscle mass (sarcopenia) with aging may be related to a decline in mitochondrial function. Without these high energy compounds, which every cell in our body depends to function, the cell and the entire organism (us!) dies.

It's been established that older adults tend to have lower tissue levels of creatine phosphate (CP), ATP, and other essential high energy molecules.

Older individuals appear to respond differently to exercise also in terms of replenishing these essential molecules after exercise. One study called "Skeletal muscle mitochondrial function and lean body mass in healthy exercising elderly" (Mech Ageing Dev. 2003 Mar;124(3):301-9.) measured mitochondrial function and

Part II

recovery time in , 45 older (average age 73), and 20 younger subjects (average age 25) who were matched for body mass. They then had the two groups exercise at different intensity levels. As other studies have found, older people in the group had lower baseline CP and ATP levels than their younger counterparts and they were slower to replenish tissue levels after exercise. As the researchers put it,

"Our data suggests that mitochondrial function declines with age in healthy, exercising elderly adults and that the decline appears to be influenced by the level of physical activity."

Translated, not only did the older subjects have lower levels of essential high energy compounds (e.g. ATP, CP, etc.) to begin with compared to the younger group, it was made worse the more intense the exercise! As the studies above with older adults show, creatine in supplemented form can ameliorate some of that decline.

Creatine may be one of the most effective and safe non-prescription compounds currently available to improve cellular energetics (the ability of the cells to produce energy which keeps us alive!) and may be an effective treatment for sarcopenia, especially when combined with the proper exercise regimen.

To sum up this section, the two essential strategies to help prevent the decline in cellular health, which appears linked to sarcopenia and other issues faced by an aging person:

- prevent concomitant decline in ATP/CP levels which reduces whole body ATP levels that leads to sarcopenia and many other pathologies, via creatine supplements and others that maintain cellular energetics (e.g., acetyl L-carnitine,

Part II

alpha lipoic acid, QoQ10. etc.)

- Increase or maintain intra cellular glutathione and improve mitochondrial anti oxidant status (to prevent mitochondrial damage to DNA caused by reactive oxygen species) by taking anti oxidants and or nutrients known to improve anti oxidant status (e.g. whey protein, NAC, etc).

It would appear that maintaining mitochondrial anti oxidant status (in particular intra cellular glutathione) and ATP levels, is an essential combination in fighting the aging process as well as combating/preventing a host of diseases.

Anti-inflammatory effects of creatine

Interestingly, though not surprisingly, creatine may have the ability to modulate inflammation, at least after exercise. One study entitled "The effect of creatine supplementation upon inflammatory and muscle soreness markers after a 30km race" (Life Sci. 2004 Sep 3;75(16):1917-24.) examined this issue.

The researchers looked at the effect of creatine on inflammatory and muscle soreness markers: creatine kinase (CK), lactate dehydrogenase (LDH), prostaglandin E2 (PGE2) and tumor necrosis factor-alpha (TNF-alpha) in experienced runners after running 30km.

Runners were supplemented for 5 days prior to the 30km race with 4 doses of 5g of creatine and 15g of maltodextrine per day while the control group received the same amount of maltodextrine. Pre-race blood samples were collected before running the 30km, immediately after the race, and 24 hours after the end of the run.

As one would expect, the control group had large increases in CK, LDH, PGE2,

Part II

and TNF-alpha concentrations. In fact, there was over a four fold increase in CK, 43% increase in LDH, over a 6 fold increase in PGE2, and a doubling of TNF-alpha! This indicates a high level of cell injury and inflammation in these athletes. However, the group getting the creatine had far lower indicators of cellular damage and inflammation, with a 19% increase in CK, 70% increase in PGE2, and a 34% increase in TNF-alpha. Creatine supplementation totally abolished the increase in LDH. No side effects at all were reported by the athletes getting the creatine. The researchers concluded,

"These results indicate that creatine supplementation reduced cell damage and inflammation after an exhaustive intense race."

There are a few comments and questions to be made regarding these findings. Regular exercise is an essential component for any person looking to improve their health, keep bodyfat low, retain essential muscle mass as they age, etc., but it also has it's downsides, such as increased free radical production and other effects the body has to combat.

Creatine may be a key nutrient here. However, it's unclear if it works in more moderate physical endeavors (as not everyone is running 30km races all the time!) and whether it would have the same effects on inflammatory markers in non-exercising people. None the less, the results are compelling and add to the long list the potential benefits of creatine.

Creatine effects on the function of healthy and damaged brains.

Perhaps the most compelling use for creatine is its effects on brain function and metabolism. I covered some of those effects in the past two articles but research continues to show creatine is a key nutrient for brain function and metabolism in both people with healthy or damaged/diseased brains. Traumatic brain injuries

Part II

affect thousands of people each year. The real tragedy however is that much of the damage to the brain is not caused by the immediate injury, but due to cell death caused by ischemia (a lack of blood flow and oxygen to tissues) and free radical damage/oxidative stress. The ability of a cell to do work is directly related to its ATP status and the health of the mitochondria. Heart tissue, neurons in the brain and other highly active tissues are very sensitive to this system. Even small changes in ATP can have profound effects on the tissues' ability to function properly, which can cause damage and or death for the cell. Of all the nutritional supplements available to us currently, creatine appears to be the most effective for maintaining or raising ATP levels. Recent studies have shown that creatine affords significant neuroprotection against ischemic and oxidative insults. One recent study called "Dietary supplement creatine protects against traumatic brain injury" (Ann Neurol. 2000 Nov;48(5):723-9.) found creatine was very effective at reducing damage to brain tissue after injury. These researchers found,

"...administration of creatine ameliorated the extent of cortical damage by as much as 36% in mice and 50% in rats. Protection seems to be related to creatine-induced maintenance of mitochondrial bioenergetics."

They went on to conclude:

"This food supplement may provide clues to the mechanisms responsible for neuronal loss after traumatic brain injury and may find use as a neuroprotective agent against acute and delayed neurodegenerative processes."

This study would indicate creatine therapy should be initiated as soon as possible after traumatic brain injury. People who have already been taking creatine on a continuous basis may be afforded considerable protection against additional

Part II

damage to the brain following such an injury.

Creatine and the healthy brain

But what about the healthy brain you ask? No, you don't need to injure your brain in an auto accident to get benefits! A recent study entitled "Oral creatine monohydrate supplementation improves brain performance: a double-blind, placebo controlled, cross-over trial" (Proceedings of the Royal Society: Biological Sciences ^ Vol. 270, No. 1529 on 22 October 2003.) found that six weeks of creatine supplementation at 5g per day to 45 five vegetarians using a double blind placebo cross over designed study, greatly improved cognitive function. According the report put out by The Royal Society,

"results agree with previous observations showing that brain creatine levels correlate with improved recognition memory and reduce mental fatigue."

Though creatine supplementation would probably have a less dramatic effect on non-vegetarians –due to the fact they get some creatine in their diet from the meat they eat – it stands to reason creatine will still be effective for improving creatine levels in the brain of meat eaters and vegetarians alike. Healthy and injured brains alike appear to benefit from creatine!

Creatine and neuromuscular diseases

One of the most promising areas of research with creatine is its effect on neuromuscular diseases such as MD. One study looked at the safety and efficacy of creatine monohydrate in various types of muscular dystrophies using a double blind, crossover trial. Thirty-six patients (12 patients with facioscapulohumeral dystrophy, 10 patients with Becker dystrophy, eight patients with Duchenne dystrophy and six patients with sarcoglycan-deficient limb girdle muscular dystrophy) were randomized to receive creatine or placebo for eight weeks. The

Part II

researchers found there was a “mild but significant improvement” in muscle strength in all groups. The study also found a general improvement in the patients’ daily-life activities as demonstrated by improved scores in the Medical Research Council scales and the Neuromuscular Symptom scale. Creatine was well tolerated throughout the study period, according to the researchers.¹

Another group of researchers fed creatine monohydrate to people with neuromuscular disease at 10 grams per day for five days, then reduced the dose to 5 grams per day for five days. The first study used 81 people and was followed by a single-blinded study of 21 people. In both studies, body weight, handgrip, dorsiflexion and knee extensor strength were measured before and after treatment. The researchers found,

“Creatine administration increased all measured indices in both studies.”

Short-term creatine monohydrate increased high-intensity strength significantly in patients with neuromuscular disease.² There have also been many clinical observations by physicians that creatine improves the strength, functionality and symptomology of people with various diseases of the neuromuscular system.

More brain related research: Creatine and neurological protection

If there is one place creatine really shines, it’s in protecting the brain from various forms of neurological injury and stress. A growing number of studies have found that creatine can protect the brain from neurotoxic agents, certain forms of injury and other insults. Several in vitro studies found that neurons exposed to either glutamate or beta-amyloid (both highly toxic to neurons and involved in various neurological diseases) were protected when exposed to creatine.³ The researchers hypothesized that,

Part II

"... cells supplemented with the precursor creatine make more phosphocreatine (PCr) and create larger energy reserves with consequent neuroprotection against stressors."

More recent studies, in vitro and in vivo in animals, have found creatine to be highly neuroprotective against other neurotoxic agents such as N-methyl-D-aspartate (NMDA) and malonate.⁴ Another study found that feeding rats creatine helped protect them against tetrahydropyridine (MPTP), which produces parkinsonism in animals through impaired energy production. The results were impressive enough for these researchers to conclude,

"These results further implicate metabolic dysfunction in MPTP neurotoxicity and suggest a novel therapeutic approach, which may have applicability in Parkinson's disease."⁵

Other studies have found creatine protected neurons from ischemic (low oxygen) damage as is often seen after strokes or injuries.⁶

Yet more studies have found creatine may play a therapeutic and or protective role in Huntington's disease^{7, 8} as well as ALS (amyotrophic lateral sclerosis).⁹ This study found that

"... oral administration of creatine produced a dose-dependent improvement in motor performance and extended survival in G93A transgenic mice, and it protected mice from loss of both motor neurons and substantia nigra neurons at 120 days of age. Creatine administration protected G93A transgenic mice from increases in biochemical indices of oxidative damage. Therefore, creatine administration may be a new therapeutic strategy for ALS."

Part II

Amazingly, this is only the tip of the iceberg showing creatine may have therapeutic uses for a wide range of neurological disease as well as injuries to the brain.

Creatine and heart function

Because it is known that heart cells are dependent on adequate levels of ATP to function properly, and that cardiac creatine levels are depressed in chronic heart failure, researchers have looked at supplemental creatine to improve heart function and overall symptomology in certain forms of heart disease. It is well known that people suffering from chronic heart failure have limited endurance, strength and tire easily, which greatly limits their ability to function in everyday life. Using a double blind, placebo-controlled design, 17 patients aged 43 to 70 years with an ejection fraction <40 were supplemented with 20 grams of creatine daily for 10 days. Before and after creatine supplementation, the researchers looked at:

- 1) Ejection fraction of the heart (blood present in the ventricle at the end of diastole and expelled during the contraction of the heart)
- 2) 1-legged knee extensor (which tests strength)
- 3) Exercise performance on the cycle ergometer (which tests endurance)

Biopsies were also taken from muscle to determine if there was an increase in energy-producing compounds (i.e., creatine and creatine phosphate). Interestingly, but not surprisingly, the ejection fraction at rest and during the exercise phase did not increase. However, the biopsies revealed a considerable increase in tissue levels of creatine and creatine phosphate in the patients getting the supplemental creatine. More importantly, patients getting the creatine had increases in strength

Part II

and peak torque (21%, $P < 0.05$) and endurance (10%, $P < 0.05$). Both peak torque and 1-legged performance increased linearly with increased skeletal muscle phosphocreatine ($P < 0.05$). After just one week of creatine supplementation, the researchers concluded:

“Supplementation to patients with chronic heart failure did not increase ejection fraction but increased skeletal muscle energy-rich phosphagens and performance as regards both strength and endurance. This new therapeutic approach merits further attention.”¹⁰

Another study looked at the effects of creatine supplementation on endurance and muscle metabolism in people with congestive heart failure.¹¹ In particular the researchers looked at levels of ammonia and lactate, two important indicators of muscle performance under stress. Lactate and ammonia levels rise as intensity increases during exercise and higher levels are associated with fatigue.

High-level athletes have lower levels of lactate and ammonia during a given exercise than non-athletes, as the athletes' metabolism is better at dealing with these metabolites of exertion, allowing them to perform better. This study found that patients with congestive heart failure given 20 grams of creatine per day had greater strength and endurance (measured as handgrip exercise at 25%, 50% and 75% of maximum voluntary contraction or until exhaustion) and had lower levels of lactate and ammonia than the placebo group. This shows that creatine supplementation in chronic heart failure augments skeletal muscle endurance and attenuates the abnormal skeletal muscle metabolic response to exercise.

It is important to note that the whole-body lack of essential high energy compounds (e.g. ATP, creatine, creatine phosphate, etc.) in people with chronic congestive heart failure is not a matter of simple malnutrition, but appears to be

Part II

a metabolic derangement in skeletal muscle and other tissues.¹² Supplementing with high energy precursors such as creatine monohydrate appears to be a highly effective, low cost approach to helping these patients live more functional lives, and perhaps extend their life spans.

Part II

References for Part II

1. Walter MC, et al. Creatine monohydrate in muscular dystrophies: A double blind, placebo-controlled clinical study. *Neurology* 2000 May 9; 54(9): 1848-50.
2. Tarnopolsky M, et al. Creatine monohydrate increases strength in patients with neuromuscular disease. *Neurology* 1999 Mar 10; 52(4): 854-7.
3. Protective effect of the energy precursor creatine against toxicity of glutamate and beta-amyloid in rat hippocampal neurons. *J Neurochem* 1968-1978; 74(5).
4. Malcon C, et al. Neuroprotective effects of creatine administration against NMDA and malonate toxicity. *Brain Res* 2000; 860(1-2): 195-8.
5. Matthews RT, et al. Creatine and cyclocreatine attenuate MPTP neurotoxicity. *Exp Neurol* 1999; 157(1): 142-9.
6. Balestrino M, et al. Role of creatine and phosphocreatine in neuronal protection from anoxic and ischemic damage. *Amino Acids Abstract* 2002; 23(1-3): 221-229.
7. Matthews RT, et al. Neuroprotective effects of creatine and cyclocreatine in animal models of Huntington's disease. *J Neurosci* 1998; 18(1): 156-163.
8. Ferrante RJ, et al. Neuroprotective effects of creatine in a transgenic mouse model of Huntington's disease. *J Neurosci* 2000; 20(12): 4389-97.
9. Klivenyi P, et al. Neuroprotective effects of creatine in a transgenic animal model of amyotrophic lateral sclerosis. *Nat Med* 1999; 5(3): 347-50.

Part II

References for Part II

10. Gordon A, et al. Creatine supplementation in chronic heart failure increases skeletal muscle creatine phosphate and muscle performance. *Cardiovasc Res* 1995 Sep; 30(3): 413-8.
11. Andrews R, et al. The effect dietary creatine supplementation on skeletal muscle metabolism in congestive heart failure. *Eur Heart J* 1998 Apr; 19(4): 617-22.
12. Broqvist M, et al. Nutritional assessment and muscle energy metabolism in severe chronic congestive heart failure-effects of long-term dietary supplementation. *Eur Heart J* 1994 Dec; 15(12): 1641-50.
13. Park JH, et al. Use of P-31 magnetic resonance spectroscopy to detect metabolic abnormalities in muscles of patients with fibromyalgia. *Arthritis Rheum* 1998 Mar; 41(3): 406-13.

Part III

Effects on Growth Hormone (GH)

Although data is limited, some research suggests creatine can raise growth hormone equal to that of intense exercise. Growth hormone (GH) is known to play an essential role in the regulation of body fat levels, immunity, muscle mass, wound healing, bone mass and literally thousands of other functions both known and yet unknown. It is well established that GH levels steadily decline as we age and is partially responsible for the steady loss of muscle mass, loss of skin elasticity, immune dysfunction and many other physical changes that take place in the aging human body. Therefore, the possible effects of creatine on GH is worth exploring in aging populations.

One study found creatine could mimic the increased GH levels seen after intense exercise.¹ In this comparative cross-sectional study, researchers gave six healthy male subjects 20 grams of creatine in a single dose at resting (non-exercising) conditions. The study found that all subjects showed a “significant” increase of GH in the blood during the six-hour period after creatine ingestion. However, the study also found “a large interindividual variability in the GH response.” That is, there were wide differences among individuals in the levels of GH achieved from taking the creatine. For the majority of subjects the maximum GH concentration occurred between two and six hours after ingesting the creatine. The researchers concluded,

“In resting conditions and at high dosages creatine enhances GH secretion, mimicking the response of strong exercise which also stimulates GH secretion.”

These researchers felt that the effects of creatine on GH could be viewed as one of creatine’s anabolic properties with the lean mass and strength increases observed after creatine supplementation. Although creatine supplementation has been found

Part III

to increase lean muscle mass and strength in many studies, the effects of creatine on those tissues via GH enhancement has yet to be elucidated.

Creatine may reduce homocysteine levels

Homocysteine has been recognized as an important independent risk factor of heart disease, more so than cholesterol levels according to some studies. Creatine biosynthesis has been postulated as a major effector of homocysteine concentrations,² and oral creatine supplements may reduce levels of homocysteine. Many studies have found that methyl donors (such as trimethylglycine (TMG)) reduce levels of homocysteine, which also reduces the risk of heart disease. Conversely, pathways that demand large amounts of methyl groups may hinder the body's ability to reduce homocysteine levels. The methylation of guanidinoacetate to form creatine consumes more methyl groups than all other methylation reactions combined in the human body. Researchers have postulated that increasing or decreasing methyl demands on the body may increase or decrease homocysteine levels. In one study researchers fed rats either guanidinoacetate- or creatine-supplemented diets for two weeks.³ According to the researchers,

"plasma homocysteine was significantly increased (~50%) in rats maintained on guanidinoacetate-supplemented diets, whereas rats maintained on creatine-supplemented diets exhibited a significantly lower (~25%) plasma homocysteine level."

These results suggest that homocysteine metabolism is sensitive to methylation demand imposed by physiological substrates such as creatine.

Part III

Creatine and chronic fatigue/fibromyalgia

Because of creatine's apparent abilities to improve the symptoms of other pathologies involving a lack of high energy compounds (e.g., congestive heart failure, etc.) as well as the aforementioned afflictions outlined in the introduction to this article, it has been suggested that creatine may help with chronic fatigue syndrome and fibromyalgia (some researchers now posit that they are in fact the same syndrome).

Although the causes of both pathologies is still being debated, a lack of high energy compounds (e.g. ATP) at the level of the mitochondria and general muscle weakness exists. For example, people with fibromyalgia have lower levels of creatine phosphate and ATP levels compared to controls.⁴ No direct studies exist at this time showing creatine supplementation improves the symptomology of either chronic fatigue or fibromyalgia.

Considering, however, the other data that finds that creatine supplementation increases creatine and ATP levels consistently in other pathologies where low levels of creatine and ATP are found, it stands to reason that people suffering from either syndrome may want to peruse the use of creatine. Another similar syndrome to chronic fatigue and fibromyalgia, is Multiple Chemical Sensitivity Syndrome, which may also be potentially improved by the use of creatine supplements, though more research is clearly needed.

Creatine safety issues: fact or fiction?

The fear over the safety of creatine was usually generated from some hysterical news report or poorly researched article. It's odd, but predictable that the media and conservative medical establishment have desperately tried to paint creatine as an inherently dangerous or "poorly researched" dietary supplement. The fact is, creatine may be the most extensively researched performance—enhancing

Part III

supplement of all time, with a somewhat astounding safety record. True to form, the “don’t confuse us with the facts” media and anti-supplement conservative medical groups have had no problems ignoring the extensive safety data on creatine, or simply inventing safety worries where none exists.

A perfect example of this was the news report that mentioned the deaths of three high school wrestlers who died after putting on rubber suits and riding a stationary bike in a sauna to lose weight. Amazingly, their deaths were linked to creatine by the media, rather than extreme dehydration!

Even more amazingly, on further examination, it was found that two of the three wrestlers were not using creatine!

Creatine has been blamed for all sorts of effects, from muscle cramps to dehydration, to increased injuries in athletes. However, these effects have been looked at extensively by researchers without a single study reporting side effects among several groups taking creatine for various medical reasons over five years.⁵⁻⁸

In some, but not all people, creatine can raise a metabolic byproduct of creatine metabolism known as creatinine. Some people—including some medical professionals who should know better—have mistakenly stated that elevated levels of creatinine could damage the kidneys.

Elevated creatinine is often a blood indicator, not a cause, of kidney dysfunction. That’s a very important distinction, and several short- and long-term studies have found creatine supplements have no ill effects on the kidney function of healthy people.^{9,10} Though it makes sense that people with pre-existing kidney dysfunction should avoid creatine supplements, it is reassuring to know that

Part III

creatine supplements were found to have no ill effects on the kidney function of animals with pre-existing kidney failure, showing just how non toxic creatine appears to be for the kidneys.¹¹

Bottom line, creatine safety has been extensively researched and is far safer than most over-the-counter (OTC) products, including aspirin.

Part III

References for Part III

1. Schedel JM, et al. Acute creatine loading enhances human growth hormone secretion. *J Sports Med Phys Fitness* 2000 Dec;40(4):336-42
2. Wyss M, et al. Health implications of creatine: can oral creatine supplementation protect against neurological and atherosclerotic disease? *Neuroscience* 2002;112(2):243-60.
3. Stead LM, et al. Methylation demand and homocysteine metabolism: effects of dietary provision of creatine and guanidinoacetate. *Am J Physiol Endocrinol Metab* 2001 Nov;281(5):E1095-100.
4. Park JH, et al. Use of P-31 magnetic resonance spectroscopy to detect metabolic abnormalities in muscles of patients with fibromyalgia. *Arthritis Rheum* 1998 Mar;41(3):406-13.
5. Kreider RB, et al. Long-term creatine supplementation does not significantly affect clinical markers of health in athletes. *Mol Cell Biochem* 2003 Feb;244(1-2): 95-104.
6. Schilling BK, et al. Creatine supplementation and health variables: a retrospective study. *Med Sci Sports Exerc* 2001 Feb;33(2):183-8.
7. Poortmans JR, et al. Adverse effects of creatine supplementation: fact or fiction? *Sports Med* 2000 Sep;30(3):155-70.
8. Terjung RL, et al. American College of Sports Medicine roundtable. The physiological and health effects of oral creatine supplementation. *Med Sci Sports Exerc* 2000 Mar;32(3):706-17.

Part III

References for Part III

9. Poortmans JR, et al. Long-term oral creatine supplementation does not impair renal function in healthy athletes. *Med. Sci. Sport. Exerc.* 31:1108-1110, 1999.

10. Mihic S, et al. Acute creatine loading increases fat-free mass, but does not affect blood pressure, plasma creatinine or CK activity in men and women. *Med Sci Sports Exerc* 2000 Feb;32(2):291-6.

11. Taes YE, et al. Creatine supplementation does not affect kidney function in an animal model with pre-existing renal failure. *Nephrol Dial Transplant* 2003 Feb;18(2):258-64.

Part IV

Recommended doses:

Although the doses used in some studies were quite high, recent studies suggest lower doses are just as effective for increasing the overall creatine phosphate pool in the body. Two to three grams per day appears adequate for healthy people to increase their tissue levels of creatine phosphate. People with the aforementioned pathologies may benefit from higher intakes, in the 5-to-10 grams per day range.

To load or not to load, that is the question...

One question that often comes up regarding Creatine is whether or not the loading phase is required. Originally the advice for getting optimal results was to load up on Creatine followed by a maintenance dose there after. This advice was based on the fact that the human body already contains approximately 120 grams of Creatine (as Creatine and Creatine phosphate) stored in tissues and to increase total Creatine stores, one had to load for several days in order to increase those stores above those levels.

The idea also seemed to work well in practice with people noticing considerable increases in strength and weight during the loading phase. All was not perfect however as many people found the loading phase to be a problem, with gastrointestinal upset, diarrhea and other problems. At the very least, loading was inconvenient and potentially expensive.

The need for a loading phase was a long held belief, but is it really needed to derive the benefits of Creatine? The answer appears to be no as both research and real world experience have found the loading phase may not be needed after all. A 1996 study compared a loading phase vs. no loading phase 31 male subjects.

The subjects loaded for 6 days using 20 g/day and a maintenance dose 2 g/day for

Part IV

a further 30 days. As expected, tissue Creatine levels went up approximately 20% and the participants got stronger and gained lean mass. Nothing new there! And, not surprisingly, without a maintenance dose Creatine levels went back to normal after 30 days.

Then the group was given 3g of Creatine without a loading dose. The study found a similar – but more gradual – increase in muscle Creatine concentrations over a period of 28 days. The researchers concluded,

“a rapid way to Creatine load human skeletal muscle is to ingest 20 g of Creatine for 6 days.

This elevated tissue concentration can then be maintained by ingestion of 2 g/day thereafter. The ingestion of 3 g Creatine/day is in the long term likely to be as effective at raising tissue levels as this higher dose.”

A more recent study done in 1999 found that 5g of Creatine per day without a loading phase in 16 athletes significantly increased measures of strength, power, and increased body mass without a change in body fat levels (whereas the placebo group showed no significant changes).

The researcher of this 1999 study concluded, **“these data also indicate that lower doses of Creatine monohydrate may be ingested (5 g/d), without a short-term, large-dose loading phase (20 g/d), for an extended period to achieve significant performance enhancement.”**

So, don't suffer through the loading, thinking it's the only way to maximize the effects of your Creatine , it appears a 3-5gram per day dose over and extended period of time will probably do the same thing.

Part IV

Creatine and athletics:

It's only normal for people writing about a compound that is well excepted by athletes and researchers alike to assume that everyone understands what this particular product is and what it does. However, I am quite sure there are plenty of people who have heard the word "creatine," or might even be using the stuff, and still don't have a clue what it is and how it works. If you are one of those people, the beginning of this section is for you.

As mentioned in previous sections, the body uses the high energy compound adenosine triphosphate (ATP) as its main energy producing compound. During short maximal bouts of exercise such as weight training or sprinting, stored ATP is the energy source. However, stored ATP is depleted rather quickly which is why after only a few reps on a heavy lift things come to a fast finish and you run out of steam. To give energy, ATP loses a phosphate and becomes adenosine diphosphate (ADP). At this point the ADP must be converted back to ATP to derive energy from this ATP energy producing system. So how does this happen? That's where creatine comes in. Creatine is stored in the human body as creatine phosphate (CP) also called phosphocreatine.

When ATP is depleted, it can be recharged by creatine phosphate. That is, the CP donates a phosphate to the ADP making it ATP again! Got all that? An increased pool of CP means faster and greater recharging of ATP and therefore more work can be performed for a short duration, such as sprinting, weight lifting, and other explosive anaerobic endeavors. Now of course the above explanation of how creatine works was highly simplified and there are many other biochemical functions going on (e.g. possible increases in protein synthesis, increased cell hydration, and others) relating to creatine's ability to enhance strength, muscle growth, and performance, but the above explanation is basically the way it works. Creatine works to increase strength and performance in sports that

Part IV

require short duration high intensity performance, such as sprinting, football, and weight training. It's much less effective for endurance sports such as long distance running, but may still have some beneficial effects that are outlined in this report, such as the research showing reduced inflammation after long distance running. Research that has looked at creatine's effects on endurance sports has not been impressive however. Bodybuilders tend to love creatine, football players and sprinters like creatine, and swimmers and runners tend to have mixed opinions, so this pretty much keeps in line with the research findings to date.

The creatine and sugar story:

As mentioned above, creatine can definitely increase lean body mass (muscle) and improve performance in sports that require high intensity intermittent exercise such as the aforementioned sprinting, weight lifting, etc. However, creatine was found to be not effective on some people (approximately 30% of the people studied). Scientists theorized then that combining creatine with a simple sugar which would cause an insulin spike, might dramatically enhance creatine uptake into muscles and thus more creatine would be stored.

The main job of insulin is to control blood sugar by storing it in various compartments in the body (i.e. in muscle as glycogen and in fat cells as triglycerides). When blood sugar rises quickly, the body releases insulin to bring the blood sugar down. In the process of the blood sugar being taken up by muscle cells via insulin secretion (not to be confused with non-insulin dependent uptake that takes place immediately after workouts), all sorts of things found in the blood stream such as vitamins, amino acids, and minerals sort of go along for the ride with the glucose. That's a great oversimplification of a complex system, but that's basically it in a nut shell minus the highly technical mumbo jumbo.

Part IV

These “non responders” appeared not to store creatine well from an oral supplement. When these non responders were given creatine plus the simple sugar dextrose– which is just another term for glucose–these people were able to take up the creatine effectively. So, creatine plus dextrose was found to dramatically reduce the number of people who didn’t respond well to creatine alone. Further research found that even the people who responded well to oral creatine ingestion responded even better if the creatine was mixed with this simple sugar. In some cases there was a 60% improvement in creatine uptake. People given this combination had greater increases in lean muscle mass and even improved performance over creatine alone.

Pre made creatine/sugar mixtures:

Various companies combine dextrose with creatine and sell it as a single product. Also, they often add in other ingredients that might be helpful for increasing creatine uptake, lean body mass, and performance, such as glutamine, taurine, and various vitamins.

However, research showing these products are superior to simple creatine and glucose mixtures is lacking. Some people just make their own by mixing the creatine in a glass of grape juice, but of course grape juice is not all glucose (it also contains fructose) and does not contain the other ingredients that some products offer the user may want. None the less, many people feel they get good results just going the grape juice and creatine route. I often recommend half an Ultra Fuel mixed with creatine.

Purity issues:

There has been much made about creatine purity, mostly due to two articles I did some time back that exposed the fact that not all creatine is created equal. They articles can be viewed on the BrinkZone :

Part IV

<http://www.brinkzone.com/creatine.html>

So who tested out the best at the time of those articles were written? It's now sold to companies as Creapure, so if you see on the can of creatine the company uses Creapure creatine as their source, that's the good stuff. Most companies using Creapure as their source list it on the bottle of product.

So who sells Creapure brand creatine?

Below are a few companies that use Creapure:

Life Extension micronized creatine

Ultimate Nutrition

Prolab

ISS

Kaizen

Reflex

Note: There are **many more** companies that use Creapure, so your choices are not at all limited to the above companies. A quick search in google or at online supplement sellers will give you a greater range of manufacturers to choose from.

Conclusion

Creatine is quickly becoming one of the most well researched and promising supplements for a wide range of diseases and many other health/fitness concerns. It may have additional uses for pathologies where a lack of high energy compounds and general muscle weakness exist, such as fibromyalgia.

People with fibromyalgia have lower levels of creatine phosphate and ATP levels

compared to controls.¹³ Though additional research is needed, there is a

Part IV

substantial body of research showing creatine is an effective and safe supplement for a wide range of pathologies and is clearly the next big find in anti-aging nutrients.

Additional references of interest:

Field ML. Creatine supplementation in congestive heart failure. *Cardiovasc Res* 1996 Jan;31(1):174-6.

Pearson DR, et al. Long-term effects of creatine monohydrate on strength and power. *Journal of Strength and Conditioning Research*, 13(3); 187-192, 1999.

Odland LM, et al. Effect of oral creatine supplementation on muscle [PCr] and short-term maximum power output. *Med-Sci-Sports-Exerc.* 1997 Feb; 29(2): 216-9.

Earnest CP et al. High-performance capillary electrophoresis-pure creatine monohydrate reduces blood lipids in men and women. *Clin-Sci-Colch.* 1996 Jul; 91(1): 113-8.

Peeters B, et al. Effect of oral creatine monohydrate and creatine phosphate supplementation on maximal strength indices, body composition and blood pressure. *Journal of Strength and Conditioning Reserach.*

Kreider RB, et al. Effects of creatine supplementation on body composition, strength and sprint performance. *Medicine and Science in Sports and Exercise* 1998;30(1): 73-82.

Muscle Building Nutrition / System

EBOOK DOWNLOAD WITHIN MINUTES

by William D. Brink

QUICK INFO

Will Brink is pretty much renowned in bodybuilding circles as the supplement guru, his writings are in hard back and magazines all over the world. He has had a column in Musclemag for years and contributes nearly every month to Muscular Development.

The title 'Muscle Building Nutrition', is a little misleading as that's only half of this book, as although it contains his tried and tested mass gaining/bodybuilding diet, that he has taught to pro bodybuilders, natural athletes, golfers and many other star athletes, it also contains reviews on over 30 bodybuilding supplements, including creatine, prohormones, whey, casein, ZMA etc.



Not only that there is a huge chapter devoting to training for mass by renowned training guru Charles Poliquin. More details from the link at the end of this quick review.

However the Real Value if you like of the Ebook is not purely in the ebook itself but in the vast number of associated benefits that come with it.

For instance, once you purchase the ebook, you automatically receive 1 years free membership to the private members zone that accompanies the ebook.

On this members zone, you will find:-

Muscle Building Nutrition / System

A HUGE PRIVATE FORUM

This forum has over **200 muscle recipes** with cooking instructions and full protein, carb and fat details.

This forum has over **300 Brand Name Supplement Reviews** . All laid out in easy to read order with over 7000 members voting on each supplement and giving their first hand experiences on each of them.

This forum has **paid moderators**, experts in their fields, including Will Brink himself who is on the forum every day. People such as Charles Staley, Milos Sarcev, Charles Poliquin and Bryan Haycock have all posted on the private members forums.

GURUS & GUESTS

As well as the forum there are many other sections in the members zone. In the Gurus & Guests section , you will find unique articles from people like Will Brinl, Tom Venuto, Lee Labrada, Milos Sarcev, John Beradi and many other famous individuals in the field of gaining muscle and losing fat.

DIET PLANNER

This really is a fantastic product that allows you to enter all the foods your eating, plan out meals for yourself, see your progress with graphs . You can see how much protein , carbs and fats your eating, how much you should be eating and so forth.

The diet planner is in truth worth the value of the ebook alone.

For more information on Muscle Building Nutrition / System click here

www.musclebuildingnutrition.com

Diet Supplements Revealed

EBOOK DOWNLOAD WITHIN MINUTES

By Will Brink

In the weight loss and diet supplement industry it's incredibly difficult to find unbiased, neutral information from a genuine expert - who's not actually selling weight loss supplements!

That's why Will Brink's awesome "Diet Supplements Revealed" stands out so much as real "must have" information for anyone interested reducing body fat. Will is one of, if not THE, top sports supplement expert in the USA today.



And he has all the necessary credentials and knowledge to back up his opinions on just about all the weight loss supplements being sold currently. He is a top consultant, author, industry expert, highly regarded researcher and trainer - who's clients include high level athletes, big name stars, SWAT and Navy Seal special operations teams etc.

In Diet Supplements Revealed you'll find just about all of Will's immense knowledge of fat loss condensed into an easy to read, and easy to put into action guide.

Not only does Will explain in simple terms which diet supplements actually work (proving once and for all that you can't believe the weight loss marketing hype), but he also lays out for you a simple road map to achieving very low body fat levels - which is of course the REAL goal in what we refer to as "weight loss".

Diet Supplements Revealed impresses immensely. It's obvious from reading it that

Diet Supplements Revealed

By Will Brink

Will knows his stuff, and even more obvious that most people would never have known which supplements to buy without reading this.

It would be fair to say that with over 30 fat loss supplements reviewed you will immediately future proof yourself from being ripped off by products that simply don't work.

I can say with a very high degree of certainty that probably 90% of "diet supplement consumers" are currently throwing most of their money away on supplements that do not work - which makes Will's information obligatory reading in my book!

Besides this you can access Will's private "Inner Ring" (this is an amazing free bonus, exclusive to Diet Supplements Revealed owners) in which you can actually speak directly with Will, asking him questions about all aspects of losing body fat (don't take this lightly, formal consultancy with Will would otherwise cost you a few hundred dollars an hour), plus a whole bunch of other really cool tools such as exercise videos, meal and calorie planners etc.

In summary, fantastic information that I can fully and whole heartedly recommend - definitely an invaluable and must have resource if you are serious about losing fat. **For more information on Diet Supplements Revealed click below**

www.aboutsupplements.com